SX11-A3 spreadsheet 202212

长 Legath (mm) 4380 超 Width (mm) 1810 高高 Height (mm) 1615 報節 Wheelbase (mm) 2600 整合质量 Curu Weight(s) 1357 整号 Model BHELS-EFZ 超式 Type 4-cylinder, in-line 指章(cm3) Displacement (cm3) 1499 计点标准 Euro V b Euro V b 更速募类型 Type DCT H位数 Number of gears 7 基大用矩 Max borque (Nm) 290km at 2500-3500min-1 最大用矩 Max borque (Nm) 290km at 2500-3500min-1 最大用矩 Pire system FWD 0 - 100km/hilbath(lipt) 0 - 100km/h acceleration Time (s) 7.6 財業(kert) Electric power steering system EPS *** 助議(kert) Fire syspension Macpherson 財際保護 *** ** 財際保護 *** ** 財際保護 *** ** 財際保護 *** ** 財際	参数	Parameter	GL GK GF			
등 Height (mm) 1615	长	Length (mm)	4380			
接路	宽	Width (mm)	1810			
整备匝	高	Height (mm)	1615			
환경	轴距	Wheelbase (mm)	2600			
型式 Type	整备质量	Curb Weight(kg)	1357			
非教体准 Emission standard Eurov lib を実施業型 Type DCT	型号	Model	BHE15-EFZ			
#故标准 Emission standard Euro V ib 交達 案文型 Type DCT All C校 Number of gears 7 最大的字 Max power (kW) 128 kW at \$500 min-1 最大打矩 Max torque (Nm) 290Nm at 2000-3500min-1 W 200Nm / Drive System FVV O-100km / Indizetrio(PV) - 5.8 Drive System FVV D-100km / Indizetrio(PV) - 5.8 NEDC D1 \$\frac{1}{2}\$\$ Ry summer of the consumption (L/100km) 5.8 NEDC D1 \$\frac{1}{2}\$\$ Ry summer of the consumption (L/100km) 5.8 NEDC D1 \$\frac{1}{2}\$\$ Ry summer of the consumption (L/100km) 5.8 NEDC D1 \$\frac{1}{2}\$\$ Ry summer of the consumption (L/100km) 5.8 NEDC D1 \$\frac{1}{2}\$\$ Autonomer of the consumption (L/100km) 5.8 NEDC D1 \$\frac{1}{2}\$\$ Ry summer of the consumption (L/100km) 5.8 NEDC D1 \$\frac{1}{2}\$\$ Autonomer of the consumption (L/100km) 5.8 NEDC D1 \$\frac{1}{2}\$\$ Autonomer of the consumption (L/100km) 5.8 NEDC D1 \$\frac{1}{2}\$\$ Autonomer of the consumption (L/100km) 5.8 NEDC PVNL Extend Features C1 \$\frac{1}{2}\$\$ (\$\frac{1}{2}\$\$ (\$\frac	型式	Туре	4-cylinder, in-line			
使性	排量 (cm3)	Displacement (cm3)	1499			
변位數 Number of gears 7 最大神事年 Max power (KW) 128 kW at 5500 min-1 最大扭矩 Max torque (Nm) 290Nm at 2000-3500min-1 W如力式 Drive System FWD 0-100km/hjüleithi间(秒) 0-100km/h acceleration Time (s) 7.6 油耗 (km/L) Fuel consumption (L/100km) 5.8 NEDC 助力转向处型 Electric power steering system EPS ● 前通风盘后盘式刹车 FR suspension Macpherson 后悬架系统 FR suspension Macpherson 后悬梁系统 RR suspension Torsion beam 电子驻车制动 EPB ● 自动保持 Autohold ● おおよもtop 「WM Exterior Features GL GK GF 17 '1180-64轮網 17" alloy wheels start-stop 「Torsian beam ● 17 '1180-64轮網 18" alloy wheels Sporty Black Edition - ● 18 寸東黒台金轮網 18" alloy wheels Sporty Black Edition - ● 18 寸東黒台金轮網 18" alloy wheels Sporty Black Edition - ● 18 寸東黒台金轮網 18" alloy wheels Sporty Black Edition - ● 18 寸東黒台金轮網 18" alloy wheels Sporty Black Edition - ● 18 寸東黒台金轮網 18" alloy wheels Sporty Black Edition - ● 18 寸東黒台金轮網 18" alloy wheels Sporty Black Edition - ● 18 寸東田 18 「新田 18 「 18 「 18 「 18 「 18 「 18 「 18 「 18	排放标准	Emission standard	Euro VI b			
最大争功率 Max power (kW) 128 kW at 5500 min-1 最大扭矩 Max torque (Nm) 290Nm at 2000-3500min-1 B型动方式 Drive System FWD 0-100km/h加速时间(秒) 0-100km/h acceleration Time (s) 7.6 ibit (km/L) Fuel consumption (L/100km) 5.8 NEDC ibit (km/L) Five system EPS Five interval of the system interval of	变速器类型	Туре	DCT			
展大扭矩 Max torque (Nm) 290Nm at 2000-3500min-1 Wand		Number of gears	7			
But Dive System	最大净功率	Max power (kW)	128 kW at 5500 min-1			
0-100km/h加速时间(秒) 0-100km/h acceleration Time (s) 加耗 (km/L) 与 Eue (consumption (L/100km)	最大扭矩	Max torque (Nm)	290Nm at 2000-3500min-1			
油耗(km/L)	驱动方式	Drive System	FWD			
助力转向类型 Electric power steering system EPS	0-100km/h加速时间(秒)	0-100km/h acceleration Time (s)	7.6			
前通风盛后盘式刹车	油耗 (km/L)	Fuel consumption (L/100km)	5.8			
前急架系统 FR suspension Macpherson 「石砂架系統 RR suspension Torsion beam 电子驻车制动 EPB 自动保持 Autohold ● 发动机启停 start-stop ● 「「大阪の本身 Dual tone body ● 17寸铝合金轮網 17" alloy wheels 18寸票黑铝合金轮網 18" alloy wheels Sporty Black Edition - ● steel 备胎 Spare tire: T125/80 D16(steel) ● ● 従纤维外观(前后保、侧部、外后视镜 Carbon fiber decoration (bumper、side wall、side mirrors) ● ● に対すない (正D bady ● は対策外域 (正D carbon fiber decoration (bumper、side wall、side mirrors) ● ● に対すない (正D bady ににD baddight illumination system ● ● に対すない (正D bady ににD baddight illumination system ● ● に対するない (正D bady ににD baddight illumination system ● ● に対するない (正D bady ににD baddight illumination system ● ● ●	助力转向类型	Electric power steering system EPS	•			
RR suspension Torsion beam 电子驻车制动 EPB 自动保持 Autohold 发动机启停 start-stop 「RR Suspension Torsion beam 日本 Substance Sub	前通风盘后盘式刹车	FR ventilated & RR solid brake disc	•			
田子驻车制动 EPB	前悬架系统	FR suspension	Macpherson			
自动保持	后悬架系统	RR suspension	Torsion beam			
大変	电子驻车制动	EPB	•			
外观 Exterior Features GL GK GF 双色车身 Dual tone body	自动保持	Autohold				
双色车身 Dual tone body ● 17寸铝合金轮網 17寸 alloy wheels 18寸 alloy wheels Sporty Black Edition ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	发动机启停	start-stop	•			
双色车身 Dual tone body ● 17寸铝合金轮網 17寸 alloy wheels 18寸 alloy wheels Sporty Black Edition ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●						
17寸钼合金轮網 17" alloy wheels -<		Exterior Features	GL GK GF			
18寸熏黑铝合金轮辋18" alloy wheels Sporty Black Edition-●●steel 备胎Spare tire: T125/80 D16(steel)●●●碳纤维外观 (前后保、侧部、外后视镜)Carbon fiber decoration (bumper 、 side wall、 side mirrors)●●●运动尾翼Sporty spoiler行李架Roof rail●●●自动前大灯 (LED)Automatic LED headlight illumination system●●●LED日间行车灯LED daytime running lights●●●	双色车身	Dual tone body	- · · · · · · · · · · · · · · · · · · ·			
steel 备胎Spare tire: T125/80 D16(steel)●●碳纤维外观 (前后保、侧部、外后视镜)Carbon fiber decoration (bumper 、 side wall、 side mirrors)●●运动尾翼Sporty spoiler行李架Roof rail●●自动前大灯 (LED)Automatic LED headlight illumination system●●LED日间行车灯LED daytime running lights●●	17寸铝合金轮辋	17" alloy wheels	•			
碳纤维外观(前后保、侧部、外后视镜) Carbon fiber decoration (bumper 、side wall、side mirrors)	18寸熏黑铝合金轮辋	18" alloy wheels Sporty Black Edition	• •			
运动尾翼 Sporty spoiler -	steel 备胎	Spare tire: T125/80 D16(steel)	• •			
行李架 Roof rail ● <	碳纤维外观(前后保、侧部、外后视镜)	Carbon fiber decoration (bumper 、 side wall、 side mirrors)	• • •			
自动前大灯(LED) Automatic LED headlight illumination system	运动尾翼	Sporty spoiler				
LED日间行车灯 LED daytime running lights ● ● ●	行李架	Roof rail	• • •			
	自动前大灯 (LED)	Automatic LED headlight illumination system	• •			
LED后组合灯	LED日间行车灯	LED daytime running lights	• • •			
	LED后组合灯	LED tail lamps	• •			

内饰	Interior Features	GL	GK	GF
黑色内饰	Interior color_ Black	•	•	-
黑红内饰	Interior color Black&Red	-	-	•
12 '大屏	12 inch Centrol touch screen	•	•	•
仪表 带10.25 ' 段码屏	Instrument with 10.25' Code Screen	•	-	-
仪表 带10.25 'TFT屏	Instrument with 10.25' TFT Screen	-	•	•
扬声器	No. of speakers	6	6	6
自动空调	AUTO AC	•	•	•
后排出风口	Rear AC outlet	•	•	•
氛围灯	Ambient Lights	-	-	•
多功能方向盘	Multi-function steering wheel	•	•	•
USB	USB Slot	•	•	•
12V电源	12V socket	•	•	•
PVC座椅	Leather wrapped seats	•	•	● (仿麂皮)
电动6向主驾	6 direction Electric Adjustable Driver Seat		-	•
手动6向主驾	6 direction Manual Adjustable Driver Seat	•	•	-
手动4向副驾	4 direction Manual adjustable Co-driver Seat	•	•	
后座头枕2向调节 (上下)	Rear Seats Headrest manual 2—way adjust	•	•	•
后排中间头枕	Middle Headrest in the RR	•	•	•
后排座椅中央扶手带杯托	Rear seat armrest with cupholder	-	-	•
后排座椅6:4分割,座椅靠背可翻转	Rear Seats 6:4 separate, seat back turnover	•	•	
儿童座椅固定装置	Child seat fixed device (ISO-FIX)	•	•	•
安全	Safety	GL	GK	GF
驾驶员前安全气囊	Driver Air—Bag	•	•	•
副驾驶前安全气囊	Front passager Air—Bag	•	•	•
前排侧安全气囊	The front side airbags	-	•	•
侧安全气帘	Side Curtain air bags	-	-	•
ABS+EBD	ABS+EBD	•	•	•
刹车辅助	HBA	-	•	•
牵引力控制	TCS	•	•	•
ESC电子稳定控制系统	ESC	•	•	•
坡道起步辅助、陡坡缓降	Hill Hold Control and Hill Descent Control	•	•	•
TPMS	TPMS	•	•	•
前排乘员检测装置	Front occupant detection device	•	•	•
安全带未系提醒	Tront occupant actection acvice	_		
	Front&Rear Seats Not fastened safety belt reminde	•	•	•
前排限力安全带		•	-	-
前排限力安全带 前排预紧限力安全带	Front&Rear Seats Not fastened safety belt reminde	•	• •	• •
	Front&Rear Seats Not fastened safety belt reminde Limited energy belt: FR Seats	-	• •	-
前排预紧限力安全带	Front&Rear Seats Not fastened safety belt reminde Limited energy belt: FR Seats Safety belt Pretensioner: FR Seats	-	•	•
前排预紧限力安全带 安全带高度调节器	Front&Rear Seats Not fastened safety belt reminde Limited energy belt: FR Seats Safety belt Pretensioner: FR Seats Seat belt height adjuster		•	•
前排预紧限力安全带 安全带高度调节器 后排中间三点式安全带	Front&Rear Seats Not fastened safety belt reminde Limited energy belt: FR Seats Safety belt Pretensioner: FR Seats Seat belt height adjuster Safety —point belt: RR Seats		•	•

智能驾驶	Advanced Driver Assistance Systems	GL	GK	GF
CC	CC (Cruise control)	•	•	•
盲点监测	BSD	-	-	•
驾驶模式 (运动、舒适、经济、智能)	Drive mode (sport、comfort、eco、smart)	•	•	•
全自动泊车	Automatic parking assist	-	-	•
后雷达	Rear parking radars	4	4	6
前雷达	Front radars	-	-	6
倒车影像	Rear camera	•	•	-
540°全景影像	540° degree panoramic image	-	-	•
舒适性	Comfort and Convenience	GL	GK	GF
全景天窗	Panoramic sunroof	-	•	•
四门一键升降&带防夹	All side window one key rise & fall & anti-pinch	-	•	•
无钥匙进入	Keyless Entry	-	•	•
一键启动	Keyless start	•	•	•
无线充电	Wireless phone charge	-	-	•
远程启动	Remote control	•	•	•
雨量传感器	raining sensor	-	-	•
电动调节外后视镜	Electric Adjustable Exterior Mirrors	•	•	•
电动折叠外后视镜	Automatic foldable Exterior Mirrors while locking	-	•	•
外后视镜加热除霜	Electric Heatable Exterior Mirrors	•	•	•
选装	Option	GL	GK	GF
电动尾门	Electric tailgate	-	-	0
变色龙套装	light grey Exterior+18" new shape rim			0
后排隐私玻璃	Privacy glass	-	-	0 (非洲)
外观色	Body Color	Blue/ Whit	Blue/ White/ Grey/Red	

GEELY Automobiles offers this information as a general guide to product specifications. All data is believed to be correct as in November, 2022; however, as product development is an ongoing process, changes may occur from time to time which may not be necessarily reflected herein. Therefore, GEELY Automobiles reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of GEELY products, you should not rely solely on the information provided in this specification sheet. Partners are not agents of GEELY Automobiles and have absolutely no authority to bind GEELY Automobiles by an express or implied undertaking or representation.